

International Accreditation Service

# CERTIFICATE OF ACCREDITATION


*This is to signify that*

## HONEYWELL FIRST RESPONDER PRODUCTS TESTING LABORATORY

#1 INNOVATION COURT  
DAYTON, OHIO 45414

Testing Laboratory TL-307

has met the requirements of the IAS Accreditation Criteria for Testing Laboratories (AC89), has demonstrated compliance with ANS/ISO/IEC Standard 17025:2005, *General requirements for the competence of testing and calibration laboratories*, and has been accredited, commencing January 23, 2012, for the test methods listed in the approved scope of accreditation.



Patrick V. McCullen  
Vice President



C. P. Ramani, P.E.  
President



*(see attached scope of accreditation for fields of testing and accredited test methods)*

Print Date: 01/26/2012

This accreditation certificate supersedes any IAS accreditation certificate bearing an earlier date. The certificate becomes invalid upon suspension, cancellation or revocation of accreditation.  
See the IAS Accreditation Listings on the web at [www.iasonline.org](http://www.iasonline.org) for current accreditation information, or contact IAS directly at (562) 364-8201.

International Accreditation Service  
**SCOPE OF ACCREDITATION**

Honeywell First Responder Products Testing Laboratory TL-307

Honeywell First Responder Products Testing Laboratory  
 #1 Innovation Court  
 Dayton, OH 45414

Chris Atkinson  
 Sr. Quality Technician  
 (937) 264-2662

FIELDS OF TESTING	ACCREDITED TEST METHODS
Fire protective clothing, equipment and Accessories	NFPA 1951 - Standard on Protective Ensemble for Urban Search and Rescue Operations, only Sections 8.2, 8.3, 8.4, 8.5, 8.6, 8.7, 8.8, 8.10, 8.11, 8.12, 8.13, 8.19, 8.20, 8.25, 8.26, 8.28, 8.29, 8.30 and 8.31 NFPA 1971 - Standard on Protective Ensemble for Structural Fire Fighting, only Sections 8.2, 8.4, 8.6, 8.7, 8.10, 8.12, 8.14, 8.15, 8.16, 8.19, 8.22, 8.25, 8.26, 8.27, 8.33, 8.34, 8.37, 8.38, 8.39, 8.42, 8.43, 8.47, 8.48, 8.51, 8.52, 8.59 and 8.63 NFPA 1977 - Standard on Protective Clothing and Equipment for Wildland Fire Fighting, only Sections 8.2, 8.3, 8.4, 8.5, 8.7, 8.8, 8.11, 8.12, 8.20, 8.21, 8.22, 8.23, 8.25, 8.26, 8.31 and 8.32 NFPA 1992 - Standard on Liquid Splash-Protective Suits for Hazardous Chemical Emergencies, only Sections 8.13 and 8.20 NFPA 1994 - Standard on Protective Ensembles for Chemical/Biological Terrorism Incidents, only Sections 8.8 and 8.16 NFPA 1999 - Standard on Emergency Medical Protective Clothing, only Sections 8.2, 8.7, 8.8, 8.18, 8.28, 8.29, 8.30, 8.31, 8.32, 8.33 and 8.34

January 23, 2012  
 Commencement Date



*C. P. Ramani*  
 C. P. Ramani, P.E.  
 President

Print Date: 01/26/2012

Page 2 of 2

*This accreditation certificate supersedes any IAS accreditation certificate bearing an earlier date. The certificate becomes invalid upon suspension, cancellation or revocation of accreditation.  
 See the IAS Accreditation Listings on the web at [www.iasonline.org](http://www.iasonline.org) for current accreditation information, or contact IAS directly at (562) 364-8201.*