

International Accreditation Service
CERTIFICATE OF ACCREDITATION


This is to signify that

BAHAMAS HOT MIX CO LTD

AIRPORT INDUSTRIAL PARK
PO BOX CB 10990
NASSAU, NEW PROVIDENCE
BAHAMAS

Testing Laboratory TL-348

has met the requirements of the IAS Accreditation Criteria for Testing Laboratories (AC89), has demonstrated compliance with ANS/ISO/IEC Standard 17025:2005, *General criteria for the competence of testing and calibration laboratories*, and has been accredited, commencing March 3, 2011, for the test methods listed in the approved scope of accreditation.



Patrick V. McCullen
Vice President



C. P. Ramani, P.E.
President



ACCREDITED

(see attached scope of accreditation for fields of testing and accredited test methods)

Print Date: 03/18/2011

This accreditation certificate supersedes any IAS accreditation certificate bearing an earlier date. The certificate becomes invalid upon suspension, cancellation or revocation of accreditation. See the IAS Accreditation Listings on the web at www.iasonline.org for current accreditation information, or contact IAS directly at (562) 699-0541.

Page 1 of 2
IAS is a subsidiary of the
International Code Council®



International Accreditation Service

SCOPE OF ACCREDITATION

Bahamas Hot Mix Co Ltd TL-348

Bahamas Hot Mix Co Ltd
 Airport Industrial Park
 PO Box CB 10990
 Nassau, New Providence
 Bahamas

Brian Davies
 Technical Manager
 (242) 352-6072

FIELDS OF TESTING	ACCREDITED TEST METHODS
Soil	ASTM Standards D 1556 and D 1557; AASHTO Standards T 88, T 89, T 90, T 99 (Method C), T 176, T 180 (Method D), T 191, T 265, T 267, T 289, T 310 and T 311
Aggregates	ASTM Standards C 117, C 127, C 128, C 136, C 566, C 702 and D 75; AASHTO Standards M 145, T 2, T 11, T 27, T 30, T 84, T 85, T 248 and T 255
Bituminous	ASTM Standards C 140, D 979, D 1559, D 2041, D 2172, D 2726 and D 3203; AASHTO Standards T 40, T 164 (Method A only), T 166, T 168, T 209, T 245, T269 and T 308; FM 1-T 238 (Method B)
Concrete	AASHTO Standards T 22, T 23, T 119, T 309 and T 141; ASTM Standards C 39, C 143, C 172 and C 1064
Soil	ASTM Standards D 1556 and D 1557; AASHTO Standards T 88, T 89, T 90, T 99 (Method C), TL 176, T 180 (Method D), T 191, T 265, T 267, T 289, T 310 and T 311

March 3, 2011
 Commencement Date

Print Date: 03/18/2011

This accreditation certificate supersedes any IAS accreditation certificate bearing an earlier date. The certificate becomes invalid upon suspension, cancellation or revocation of accreditation. See the IAS Accreditation Listings on the web at www.iasonline.org for current accreditation information, or contact IAS directly at (562) 699-0541.



C. P. Ramani
 C. P. Ramani, P.E.
 President

Page 2 of 2

