

# CERTIFICATE OF ACCREDITATION

This is to attest that

#### **APPLIED TESTING & GEOSCIENCES, LLC**

401 EAST FOURTH STREET BRIDGEPORT, PENNSYLVANIA 19405, U.S.A.

**Testing Laboratory TL-292** 

has met the requirements of AC89, *IAS Accreditation Criteria for Testing Laboratories*, and has demonstrated compliance with ISO/IEC Standard 17025:2017, *General requirements for the competence of testing and calibration laboratories*. This organization is accredited to provide the services specified in the scope of accreditation.

Effective Date May 3, 2024



President

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

#### **APPLIED TESTING & GEOSCIENCES, LLC**

www.appliedtesting.com

**Contact Name** Tom Smith

**Contact Phone** +1-610-313-3227

Accredited to ISO/IEC 17025:2017

Effective Date May 3, 2024

| CONSTRUCTION MATERI     | ALS   |
|-------------------------|---|
| Concrete Testing Method | s   |
| AASHTO T103             | Soundness of Aggregates by Freezing and Thawing (Procedure A Total Immersion in Water)  |
| ASTM C29 / C29M         | Standard Test Method for Bulk Density ("Unit Weight") and Voids in Aggregate  |
| ASTM C39 / C39M         | Standard Test Method for Compressive Strength of Cylindrical Concrete Specimens   |
| ASTM C40 / C40M         | Standard Test Method for Organic Impurities in Fine Aggregates for Concrete Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes |
| ASTM C42 / C42M         | Standard Test Method for Obtaining and Testing Drilled Cores and Sawed Beams of Concrete  |
| ASTM C70                | Standard Test Method for Surface Moisture in Fine Aggregate   |
| ASTM C78                | Standard Test Method for Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)   |
| ASTM C87                | Standard Test Method for Effect of Organic Impurities in Fine Aggregate on Strength of Mortar   |
| ASTM C88                | Standard Test Method for Soundness of Aggregates by Use of Sodium Sulfate or Magnesium Sulfate  |
| ASTM C117               | Standard Test Method for Materials Finer than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing  |
| ASTM C127               | Standard Test Method for Relative Density (Specific Gravity) and Absorption of Coarse Aggregate   |
| ASTM C128               | Standard Test Method for Relative Density (Specific Gravity) and Absorption of Fine Aggregate   |
| ASTM C131               | Standard Test Method for Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion And Impact in the Los Angeles Machine                 |
| ASTM C136 / C136M       | Standard Test Method for Sieve Analysis of Fine and Coarse Aggregates   |
| ASTM C138 / C138M       | Standard Test Method for Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete  |
| ASTM C142               | Standard Test Method for Clay Lumps and Friable Particles in Aggregates   |
| ASTM C143 / C143M       | Standard Test Method for Slump of Hydraulic-Cement Concrete   |



#### International Accreditation Service, Inc.

| ASTM C157 / C157M                     | Standard Test Method for Length Change of Hardened Hydraulic-Cement Mortar and Concrete   |
|---------------------------------------|---|
| ASTM C173 / C173M                     | Standard Test Method for Air Content of Freshly Mixed Concrete by the Volumetric Method   |
| ASTM C174 / C174M                     | Standard Test Method for Measuring Thickness of Concrete Elements Using Drilled Concrete Cores                                      |
| ASTM C227                             | Standard Test Method for Potential Alkali Reactivity of Cement-Aggregate Combinations   |
| ASTM C231 / C231M                     | Standard Test Method for Air Content of Freshly Mixed Concrete by the Pressure Method   |
| ASTM C232/C232M                       | Standard Test Method for Bleeding of Concrete   |
| ASTM C293 / C293M                     | Standard Test Method for Flexural Strength of Concrete (Using Simple Beam With Center-Point Loading)                                |
| ASTM C295 / C295M                     | Standard Guide for Petrographic Examination of Aggregates for Concrete  |
| ASTM C403 / C403M                     | Standard Test Method for Time of Setting of Concrete Mixtures by Penetration Resistance   |
| ASTM C404                             | Standard Specification for Aggregates for Masonry Grout   |
| ASTM C426                             | Standard Test Method for Linear Drying Shrinkage of Concrete Masonry Units  |
| ASTM C457 / C457M                     | Standard Test Method for Microscopical Determination of Parameters of the Air-Void System in Hardened Concrete                      |
| ASTM C470                             | Standard Specification for Molds for Forming Concrete Test Cylinders Vertically   |
| ASTM C495 / C495M                     | Standard Test Method for Compressive Strength of Lightweight Insulating Concrete  |
| ASTM C496 / C496M                     | Standard Test Method for Splitting Tensile Strength of Cylindrical Concrete Specimens   |
| ASTM C531                             | Standard Test Method for Linear Shrinkage and Coefficient of Thermal Expansion of Chemical-   |
| ASTM C535                             | Standard Test Method for Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine |
| ASTM C566                             | Standard Test Method for Total Evaporable Moisture Content of Aggregate by Drying   |
| ASTM C567 / C567M                     | Standard Test Method for Determining Density of Structural Lightweight Concrete   |
| ASTM C579                             | Standard Test Methods for Compressive Strength of Chemical-Resistant Mortars, Grouts, Monolithic Surfacings, and Polymer Concretes  |
| ASTM C617                             | Standard Practice for Capping Cylindrical Concrete Specimens  |
| ASTM C666 / C666M                     | Standard Test Method for Resistance of Concrete to Rapid Freezing and Thawing   |
| · · · · · · · · · · · · · · · · · · · | ·   |



#### International Accreditation Service, Inc.

| ASTM C672 / C672M   | Standard Test Method for Scaling Resistance of Concrete Surfaces  |
|---------------------|---|
|                     | Exposed to Deicing Chemicals  |
| ASTM C779 / C779M   | Standard Test Method for Abrasion Resistance of Horizontal Concrete Surfaces  |
| ASTM C796           | Standard Test Method for Foaming Agents for Use in Producing Cellular Concrete Using Preformed Foam                                     |
| ASTM C803 / C803M   | Standard Test Method for Penetration Resistance of Hardened Concrete  |
| ASTM C805 / C805M   | Standard Test Method for Rebound Number of Hardened Concrete  |
| ASTM C823 / C823M   | Standard Practice for Examination and Sampling of Hardened Concrete in Constructions  |
| ASTM C856           | Standard Practice for Petrographic Examination of Hardened Concrete   |
| ASTM C873 / C873M   | Standard Test Method for Compressive Strength of Concrete Cylinders Cast in Place in Cylindrical Molds                                  |
| ASTM C900           | Standard Test Method for Pullout Strength of Hardened Concrete  |
| ASTM C1012          | Standard Test Method for Length Change of Hydraulic-Cement Mortars Exposed to a Sulfate Solution  |
| ASTM C1040 / C1040M | Standard Test Methods for In-Place Density of Unhardened and Hardened Concrete, Including Roller Compacted Concrete, By Nuclear Methods |
| ASTM C1064 / C1064M | Standard Test Method for Temperature of Freshly Mixed Hydraulic-Cement Concrete   |
| ASTM C1105          | Standard Test Method for Length Change of Concrete Due to Alkali-<br>Carbonate Rock Reaction  |
| ASTM C1116          | Standard Specification for Fiber-Reinforced Concrete  |
| ASTM C1152 / C1152M | Standard Test Method for Acid-Soluble Chloride in Mortar and Concrete   |
| ASTM C1202          | Standard Test Method for Electrical Indication of Concrete's Ability to Resist Chloride Ion Penetration                                 |
| ASTM C1218 / C1218M | Standard Test Method for Water-Soluble Chloride in Mortar and Concrete  |
| ASTM C1231 / C1231M | Standard Practice for Use of Unbonded Caps in Determination of Compressive Strength of Hardened Cylindrical Concrete Specimens          |
| ASTM C1260          | Standard Test Method for Potential Alkali Reactivity of Aggregates  |
| ASTM C1293          | Standard Test Method for Determination of Length Change of Concrete Due to Alkali-Silica Reaction                                       |
| ASTM C1399 / C1399M | Standard Test Method for Obtaining Average Residual-Strength of Fiber-Reinforced Concrete   |
| ASTM C1524          | Standard Test Method for Water-Extractable Chloride in Aggregate (Soxhlet Method)   |
| ASTM C1556          | Standard Test Method for Determining the Apparent Chloride Diffusion Coefficient of Cementitious Mixtures by Bulk Diffusion             |



#### International Accreditation Service, Inc.

| ASTM C1567              | Standard Test Method for Determining the Potential Alkali-Silica Reactivity of Combinations of Cementitious Materials and Aggregate |
|-------------------------|---|
| ASTM C1585              | Standard Test Method for Measurement of Rate of Absorption of Water by Hydraulic-Cement Concretes                                   |
| ASTM C1611              | Standard Test Method for Slump Flow of Self-Consolidating Concrete  |
| ASTM C1688              | Standard Test Method for Density and Void Content of Freshly Mixed Pervious Concrete  |
| ASTM C1754              | Standard Test Method for Density and Void Content of Hardened Pervious Concrete   |
| ASTM D638               | Standard Test Method for Tensile Properties of Plastics   |
| ASTM D695               | Standard Test Method for Compressive Properties of Rigid Plastics   |
| ASTM D4791              | Standard Test Method for Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate                   |
| ASTM D4832              | Standard Test Method for Preparation and Testing of Controlled Low Strength Material (CLSM) Test Cylinders                          |
| ASTM D5821              | Standard Test Method for Determining the Percentage of Fractured Particles in Coarse Aggregate                                      |
| ASTM E70                | Standard Test Method for pH of Aqueous Solutions With the Glass Electrode   |
| ASTM F1869              | Standard Test Method for Measuring Moisture Vapor Emission Rate of Concrete Subfloor Using Anhydrous Calcium Chloride               |
| CRD C48                 | Standard Test Method for Water Permeability of Concrete   |
| ICC-ES AC509            | Acceptance Criteria for 3D Automated Construction Technology For 3D Concrete Walls (Excluding Sections 3.3 and 3.4)                 |
| ICC-ES AC520            | Acceptance Criteria for CO2 Concrete-Based Concrete Masonry Units (Excluding Sections 3.3 and 3.4)                                  |
| UL 3401                 | Outline of Investigation for 3D Printed Building Construction (Excluding Sections 13.1, 14.3.3, 14.3.9.2, 14.4.2, 14.4.3)           |
| Concrete Sampling Metho | ds  |
| ASTM C31 / C31M         | Standard Practice for Making and Curing Concrete Test Specimens in the Field  |
| ASTM C42 / C42M         | Standard Test Method for Obtaining and Testing Drilled Cores and Sawed Beams of Concrete  |
| ASTM C94                | Standard Specification for Ready-Mixed Concrete   |
| ASTM C172 / C172M       | Standard Practice for Making and Curing Concrete Test Specimens in the Laboratory   |
| ASTM C192 / C192M       | Standard Practice for Sampling Freshly Mixed Concrete   |
| ASTM C513               | Standard Test Method for Obtaining and Testing Specimens of Hardened Lightweight Insulating Concrete for Compressive Strength       |
|                         |   |



#### International Accreditation Service, Inc.

| ASTM C702 / C702M         | Standard Practice for Reducing Samples of Aggregate to Testing Size  |
|---------------------------|--|
| ASTM C1140                | Standard Practice for Preparing and Testing Specimens from Shotcrete Test Panels   |
| ASTM C1385                | Standard Practice for Sampling Materials for Shotcrete   |
| ASTM C1604                | Standard Test Method for Obtaining and Testing Drilled Cores of Shotcrete  |
| ASTM C1704                | Standard Test Method for Sampling and Testing Structural Cementitious Panels   |
| ASTM D75                  | Standard Practice for Sampling Aggregates  |
| ASTM D5971                | Standard Practice for Sampling Freshly Mixed Controlled Low-Strength Material  |
| Concrete Specifications   |  |
| ASTM C33 / C33M           | Standard Specification for Concrete Aggregates   |
| ASTM C94                  | Standard Specification for Ready-Mixed Concrete  |
| ASTM C387                 | Standard Specification for Packaged, Dry, Combined Materials for Concrete and High Strength Mortar   |
| ASTM C511                 | Standard Specification for Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes |
| ASTM C869                 | Standard Specification for Foaming Agents Used in Making Preformed Foam for Cellular Concrete  |
| ASTM C928                 | Standard Specification for Packaged, Dry, Rapid-Hardening Cementitious Materials for Concrete Repairs  |
| ASTM C1077                | Standard Practice for Agencies Testing Concrete and Concrete Aggregates for Use in Construction and Criteria for Testing Agency Evaluation           |
| ASTM C1116                | Standard Specification for Fiber-Reinforced Concrete   |
| ASTM E11                  | Standard Specification for Woven Wire Test Sieve Cloth and Test Sieves   |
| ASTM E329                 | Standard Specification for Agencies Engaged in Construction Inspection, Testing, or Special Inspection   |
| Concrete Equivalent AASH1 | TO Test  |
| AASHTO M6                 | Fine Aggregate for Hydraulic Cement Concrete   |
| AASHTO M80                | Coarse Aggregate for Hydraulic Cement Concrete   |
| AASHTO M157               | Ready-Mixed Concrete   |
| AASHTO M201               | Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes                            |
| AASHTO R39                | Making and Curing Concrete Test Specimens in the Laboratory  |
| AASHTO R60                | Sampling Freshly Mixed Concrete  |
|                           |  |



#### International Accreditation Service, Inc.

| AASHTO R70  | Use of Apparatus for the Determination of Length Change of Hardened Cement Paste, Mortar, and Concrete     |
|-------------|--|
| AASHTO T2   | Sampling of Aggregates   |
| AASHTO T11  | Materials Finer Than 75-μm (No. 200) Sieve in Mineral Aggregates by Washing                                |
| AASHTO T19  | Bulk Density ("Unit Weight") and Voids in Aggregate  |
| AASHTO T21  | Organic Impurities in Fine Aggregates for Concrete   |
| AASHTO T22  | Compressive Strength of Cylindrical Concrete Specimens   |
| AASHTO T23  | Making and Curing Concrete Test Specimens in the Field   |
| AASHTO T24  | Obtaining and Testing Drilled Cores and Sawed Beams of Concrete  |
| AASHTO T27  | Sieve Analysis of Fine and Coarse Aggregates   |
| AASHTO T71  | Effect of Organic Impurities in Fine Aggregate on Strength of Mortar                                       |
| AASHTO T84  | Specific Gravity and Absorption of Fine Aggregate  |
| AASHTO T85  | Specific Gravity and Absorption of Coarse Aggregate  |
| AASHTO T96  | Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine |
| AASHTO T97  | Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)                                 |
| AASHTO T104 | Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate                                       |
| AASHTO T112 | Standard Method of Test for Clay Lumps and Friable Particles in Aggregate                                  |
| AASHTO T119 | Slump of Hydraulic Cement Concrete   |
| AASHTO T121 | Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete                                    |
| AASHTO T148 | Measuring Length of Drilled Concrete Cores   |
| AASHTO T152 | Air Content of Freshly Mixed Concrete by the Pressure Method   |
| AASHTO T158 | Bleeding of Concrete   |
| AASHTO T161 | Resistance of Concrete to Rapid Freezing and Thawing   |
| AASHTO T177 | Flexural Strength of Concrete (Using Simple Beam with Center-Point Loading)                                |
| AASHTO T196 | Air Content of Freshly Mixed Concrete by the Volumetric Method   |
| AASHTO T197 | Time of Setting of Concrete Mixtures by Penetration Resistance   |
| AASHTO T198 | Splitting Tensile Strength of Cylindrical Concrete Specimens   |
| AASHTO T231 | Capping Cylindrical Concrete Specimens   |
| AASHTO T248 | Reducing Samples of Aggregate to Testing Size  |
| AASHTO T255 | Total Evaporable Moisture Content of Aggregate by Drying   |



#### International Accreditation Service, Inc.

| AASHTO T260                           | Sampling and Testing for Chloride Ion in Concrete and Concrete Raw Materials                            |
|---------------------------------------|---|
| AASHTO T303                           | Accelerated Detection of Potentially Deleterious Expansion of Mortar Bars Due to Alkali-Silica Reaction |
| AASHTO T309                           | Temperature of Freshly Mixed Hydraulic Cement Concrete  |
| Cement Testing Methods                |   |
| ASTM C110                             | Standard Test Methods for Physical Testing of Quicklime, Hydrated Lime, and Limestone                   |
| ASTM C114                             | Standard Test Methods for Chemical Analysis of Hydraulic Cement   |
| ASTM C151 / C151M                     | Standard Test Method for Autoclave Expansion of Hydraulic Cement  |
| ASTM C183 / C183M                     | Standard Practice for Sampling and the Amount of Testing of Hydraulic Cement                            |
| ASTM C187                             | Standard Test Method for Amount of Water Required for Normal Consistency of Hydraulic Cement Paste      |
| ASTM C188                             | Standard Test Method for Density of Hydraulic Cement  |
| ASTM C191                             | Standard Test Methods for Time of Setting of Hydraulic Cement by Vicat Needle                           |
| ASTM C204                             | Standard Test Methods for Fineness of Hydraulic Cement by Air-<br>Permeability Apparatus                |
| ASTM C266                             | Standard Test Method for Time of Setting of Hydraulic-Cement Paste by Gillmore Needles                  |
| ASTM C359                             | Standard Test Method for Early Stiffening of Hydraulic Cement (Mortar Method)                           |
| ASTM C430                             | Standard Test Method for Fineness of Hydraulic Cement by the 45-µm (No. 325) Sieve                      |
| ASTM C451                             | Standard Test Method for Early Stiffening of Hydraulic Cement (Paste Method)                            |
| ASTM C472                             | Standard Test Methods for Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete               |
| ASTM C482                             | Standard Test Method for Bond Strength of Ceramic Tile to Portland Cement Paste                         |
| ASTM C563                             | Standard Guide for Approximation of Optimum SO3 in Hydraulic Cement                                     |
| Cement Specifications                 |   |
| ASTM C91                              | Standard Specification for Masonry Cement   |
| ASTM C150 / C150M                     | Standard Specification for Portland Cement  |
| ASTM C219                             | Standard Terminology Relating to Hydraulic Cement   |
| ASTM C465                             | Standard Specification for Processing Additions for Use in the Manufacture of Hydraulic Cements         |
| · · · · · · · · · · · · · · · · · · · |   |



### International Accreditation Service, Inc.

| ASTM C472                  | Standard Test Methods for Physical Testing of Gypsum, Gypsum Plasters and Gypsum Concrete                       |
|----------------------------|---|
| ASTM C595                  | Standard Specification for Blended Hydraulic Cements  |
| ASTM C1157                 | Standard Performance Specification for Hydraulic Cement   |
| ASTM C1329                 | Standard Specification for Mortar Cement  |
| Cement Equivalent AASHTO   | Test  |
| AASHTO M85                 | Portland Cement   |
| AASHTO M240                | Blended Hydraulic Cement  |
| AASHTO T105                | Chemical Analysis of Hydraulic Cement   |
| AASHTO T131                | Time of Setting of Hydraulic Cement by Vicat Needle   |
| AASHTO T153                | Fineness of Hydraulic Cement by Air Permeability Apparatus  |
| Supplementary Cementitious | s Materials/Pozzolans (SCMs) Testing Methods  |
| ASTM C311 / C311M          | Standard Test Methods for Sampling and Testing Fly Ash or Natural Pozzolans for Use in Portland-Cement Concrete |
| ASTM C618                  | Standard Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete                |
| Supplementary Cementitious | s Materials/Pozzolans (SCMs) Specifications   |
| ASTM C618                  | Standard Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete                |
| ASTM C989                  | Standard Specification for Slag Cement for Use in Concrete and Mortars  |
| ASTM C1240                 | Standard Specification for Silica Fume Used in Cementitious Mixtures  |
| ASTM C1697                 | Standard Specification for Blended Supplementary Cementitious Materials   |
| ASTM D5370                 | Standard Specification for Pozzolanic Blended Materials in Construction Applications                            |
| Supplementary Cementitious | Materials/Pozzolans (SCMs) Equivalent AASHTO Test   |
| AASHTO M302                | Slag Cement for Use in Concrete and Mortars   |
| AASHTO M307                | Silica Fume Used in Cementitious Mixtures   |
| Mortar Testing Methods     |   |
| ASTM C109 / C109M          | Standard Test Method for Compressive Strength of Hydraulic Cement Mortars                                       |
| ASTM C185                  | Standard Test Method for Air Content of Hydraulic Cement Mortar   |
| ASTM C190                  | Method of Test for Tensile Strength of Hydraulic Cement Mortars (Withdrawn 1990)                                |
| ASTM C265                  | Standard Test Method for Water-Extractable Sulfate in Hydrated Hydraulic Cement Mortar                          |
| ASTM C305                  | Standard Practice for Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic                       |
|                            |   |





#### International Accreditation Service, Inc.

| ASTM C348                  | Standard Test Method for Flexural Strength of Hydraulic-Cement Mortars  |
|----------------------------|---|
| ASTM C349                  | Standard Test Method for Compressive Strength of Hydraulic-Cement Mortars (Using Portions of Prisms Broken in Flexure)            |
| ASTM C452                  | Standard Test Method for Potential Expansion of Portland-Cement Mortars Exposed to Sulfate  |
| ASTM C780                  | Standard Test Method for Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry Consistency |
| ASTM C1038 / C1038M        | Standard Test Method for Expansion of Hydraulic Cement Mortar Bars Stored in Water  |
| ASTM C1437                 | Standard Test Method for Flow of Hydraulic Cement Mortar  |
| ASTM C1506                 | Standard Test Method for Water Retention of Hydraulic Cement-Based Mortars and Plasters   |
| ASTM E518 / E518M          | Standard Test Methods for Flexural Bond Strength of Masonry-Method A  |
| ASTM E519                  | Standard Test Method for Diagonal Tension (Shear) in Masonry Assemblages  |
| Mortar Specifications      |   |
| ASTM C150 / C150M          | Standard Specification for Portland Cement  |
| ASTM C230                  | Standard Specification for Flow Table for Use in Tests of Hydraulic Cement  |
| ASTM C270                  | Standard Specification for Mortar for Unit Masonry  |
| ASTM C1586                 | Standard Guide for Quality Assurance of Mortars   |
| ASTM C1714                 | Standard Specification for Preblended Dry Mortar Mix for Unit Masonry   |
| ASTM E329                  | Standard Specification for Agencies Engaged in Construction Inspection, Testing, or Special Inspection                            |
| Mortar Equivalent AASHTO T | est   |
| AASHTO T106                | Compressive Strength of Hydraulic Cement Mortar (Using 50-mm or 2-in. Cube Specimens)   |
| Grout Testing Methods      |   |
| ASTM C109 / C109M          | Standard Test Method for Compressive Strength of Hydraulic Cement Mortars   |
| ASTM C942                  | Standard Test Method for Compressive Strength of Grouts for Preplaced-<br>Aggregate Concrete in the Laboratory                    |
| ASTM C1019                 | Standard Test Method for Sampling and Testing Grout   |
| Grout Sampling Methods     |   |
| ASTM C476                  | Standard Specification for Grout for Masonry  |
| ASTM C937                  | Standard Specification for Grout Fluidifier for Preplaced-Aggregate Concrete  |
|                            |   |



#### International Accreditation Service, Inc.

| ASTM C1107                | Standard Specification for Packaged Dry, Hydraulic-Cement Grout (Nonshrink)                                       |
|---------------------------|---|
| Asphalt Testing Methods   |   |
| ASTM C127                 | Standard Test Method for Relative Density (Specific Gravity) and Absorption of Coarse Aggregate                   |
| ASTM C128                 | Standard Test Method for Relative Density (Specific Gravity) and Absorption of Fine Aggregate                     |
| ASTM D127                 | Standard Test Method for Drop Melting Point of Petroleum Wax, Including Petrolatum                                |
| ASTM D2950 / D2950M       | Standard Test Method for Density of Bituminous Concrete in Place by Nuclear Methods                               |
| ASTM D3142 / D3142M       | Standard Test Method for Specific Gravity, API Gravity, or Density of Cutback Asphalts by Hydrometer Method       |
| ASTM D6951 / D6951M       | Standard Test Method for Use of the Dynamic Cone Penetrometer in Shallow Pavement Applications                    |
| Asphalt Specifications    |   |
| ASTM D3666                | Standard Specification for Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials     |
| Asphalt Sampling Methods  |   |
| ASTM C702 / C702M         | Standard Practice for Reducing Samples of Aggregate to Testing Size   |
| ASTM D75                  | Standard Practice for Sampling Aggregates   |
| ASTM D5361 / D5361M       | Standard Practice for Sampling Compacted Asphalt Mixtures for Laboratory Testing                                  |
| ASTM E329                 | Standard Specification for Agencies Engaged in Construction Inspection, Testing, or Special Inspection            |
| Asphalt Equivalent AASHT  | O Test  |
| AASHTO T84                | Specific Gravity and Absorption of Fine Aggregate   |
| AASHTO T85                | Specific Gravity and Absorption of Coarse Aggregate   |
| Soil and Rock/Aggregate T | est Methods   |
| ASTM D422                 | Standard Test Method for Particle-Size Analysis of Soils  |
| ASTM D698                 | Standard Test Methods for Laboratory Compaction Characteristics of Soil Using Standard Effort                     |
| ASTM D854                 | Standard Test Methods for Specific Gravity of Soil Solids by Water Pycnometer                                     |
| ASTM D1140                | Standard Test Methods for Determining the Amount of Material Finer than 75-µm (No. 200) Sieve in Soils by Washing |
| ASTM D1557                | Standard Test Methods for Laboratory Compaction Characteristics of Soil Using Modified Effort                     |
| ·                         | •   |



#### International Accreditation Service, Inc.

| ASTM D1883                 | Standard Test Method for California Bearing Ratio (CBR) of Laboratory-Compacted Soils  |
|----------------------------|--|
| ASTM D2166 / D2166M        | Standard Test Method for Unconfined Compressive Strength of Cohesive Soil  |
| ASTM D2216                 | Standard Test Methods for Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass System)  |
| ASTM D2487                 | Standard Practice for Classification of Soils for Engineering Purposes (Unified Soil Classification  |
| ASTM D2936                 | Standard Test Method for Direct Tensile Strength of Intact Rock Core Specimens   |
| ASTM D2938                 | Standard Test Method for Unconfined Compressive Strength of Intact Rock Core Specimens   |
| ASTM D2974                 | Standard Test Methods for Moisture, Ash, and Organic Matter of Peat and Other Organic Soils  |
| ASTM D3080 / D3080M        | Standard Test Method for Direct Shear Test of Soils Under Consolidated Drained Conditions  |
| ASTM D4221                 | Standard Test Method for Dispersive Characteristics of Clay Soil by Double Hydrometer  |
| ASTM D4318                 | Standard Test Methods for Liquid Limit, Plastic Limit, and Plasticity Index of Soils   |
| ASTM D4525                 | Standard Test Method for Permeability of Rocks by Flowing Air  |
| ASTM D4630                 | Standard Test Method for Determining Transmissivity and Storage<br>Coefficient of Low-Permeability Rocks by In Situ Measurements Using the<br>Constant Head Injection Test |
| ASTM D4972                 | Standard Test Method for pH of Soils   |
| ASTM D6913                 | Standard Test Methods for Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis   |
| ASTM D6938                 | Standard Test Methods for In-Place Density and Water Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)   |
| ASTM D7928                 | Standard Test Method for Particle-Size Distribution (Gradation) of Fine-Grained Soils Using the Sedimentation (Hydrometer) Analysis  |
| Soils and Rock/Aggregate S | Specifications   |
| ASTM D3740                 | Standard Practice for Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction               |
| ASTM E329                  | Standard Specification for Agencies Engaged in Construction Inspection, Testing, or Special Inspection   |
| Soils and Rock/Aggregate S | Sampling Methods   |
| ASTM D75                   | Standard Practice for Sampling Aggregates  |
| ASTM D5268                 | Standard Specification for Topsoil Used for Landscaping Purposes   |
|                            | <del></del>  |



### International Accreditation Service, Inc.

| AASHTO M145         | Classification of Soils and Soil-Aggregate Mixtures for Highway Construction Purposes                         |
|---------------------|---|
| AASHTO T2           | Sampling of Aggregates  |
| AASHTO T88          | Particle Size Analysis of Soils   |
| AASHTO T89          | Determining the Liquid Limit of Soils   |
| AASHTO T90          | Determining the Plastic Limit and Plasticity Index of Soils   |
| AASHTO T99          | Moisture-Density Relations of Soils Using a 2.5-kg (5.5-lb) Rammer and a 305-mm (12-in.) Drop                 |
| AASHTO T100         | Specific Gravity of Soils   |
| AASHTO T180         | Moisture-Density Relations of Soils Using a 4.54-kg (10-lb) Rammer and a 457-mm (18-in.) Drop                 |
| AASHTO T193         | The California Bearing Ratio  |
| AASHTO T208         | Unconfined Compressive Strength of Cohesive Soil  |
| AASHTO T236         | Direct Shear Test of Soils under Consolidated Drained Conditions  |
| AASHTO T248         | Reducing Samples of Aggregate to Testing Size   |
| AASHTO T265         | Laboratory Determination of Moisture Content of Soils   |
| AASHTO T267         | Determination of Organic Content in Soils by Loss on Ignition   |
| Metals Test Methods |   |
| AISI S901           | Rotational-Lateral Stiffness Test Method for Beam-to-Panel Assemblies   |
| AISI S902           | Stub-Column Test Method for Effective Area of Cold-Formed Steel Columns                                       |
| AISI S903           | Standard Methods for Determination of Uniform and Local Ductility   |
| AISI S906           | Standard Procedures for Panel and Anchor Structural Tests   |
| AISI S907           | Test Standard for Cantilever Test Method for Cold-Formed Steel Diaphragms                                     |
| AISI S908           | Base Test Method for Purlins Supporting a Standing Seam Roof System"  |
| AISI S909           | Standard Test Method for Determining the Web Crippling Strength of Cold Formed Steel Beams                    |
| AISI S910           | Test Method for Distortional Buckling of Cold Formed Steel Hat Shaped Compression Members                     |
| AISI S911           | Method for Flexural Testing Cold-Formed Steel Hat Shaped Beams  |
| AISI S912           | Test Procedure for Determining a Strength Value for a Roof Panel-to-<br>Purlin-to-Anchorage Device Connection |
| AISI S913           | Test Standard for Hold-Downs Attached to Cold-Formed Steel Structural   |



#### International Accreditation Service, Inc.

| AISI S914                  | Test Standard for Joist Connectors Attached to Cold-Formed Steel  |
|----------------------------|---|
| ACTM EQ / EQM              | Structural Framing Standard Test Methods for Tension Testing of Metallic Meterials  |
| ASTM E8 / E8M              | Standard Test Methods for Tension Testing of Metallic Materials   |
| ASTM E9                    | Standard Test Methods of Compression Testing of Metallic Materials at Room Temperature  |
| ASTM E18                   | Standard Test Methods for Rockwell Hardness of Metallic Materials   |
| ASTM E164                  | Standard Practice for Contact Ultrasonic Testing of Weldments   |
| ASTM E165 / E165M          | Standard Practice for Liquid Penetrant Examination for General Industry   |
| ASTM E1417/E1417M          | Standard Practice for Liquid Penetrant Testing  |
| ASTM E1444 / E1444M        | Standard Practice for Magnetic Particle Testing   |
| ICC-ES AC25                | Acceptance Criteria for Metal Composite Material (Section 4.0)  |
| Metals Specification Metho | ds  |
| ASTM E329                  | Standard Specification for Agencies Engaged in Construction Inspection, Testing, or Special Inspection  |
| ASTM E543                  | Standard Specification for Agencies Performing Nondestructive Testing   |
| CONSTRUCTION PRODUCT       | TS  |
| Wood/Lumber Testing Meth   | nods  |
| ASTM D143                  | Standard Test Methods for Small Clear Specimens of Timber   |
| ASTM D198                  | Standard Test Methods of Static Tests of Lumber in Structural Sizes   |
| ASTM D1037                 | Standard Test Methods for Evaluating Properties of Wood-Base Fiber and Particle Panel Materials (Excluding Section 22 - Abrasion Resistance by the U.S. Navy Wear Tester) |
| ASTM D1761                 | Standard Test Methods for Mechanical Fasteners in Wood  |
| ASTM D2395                 | Standard Test Methods for Density and Specific Gravity (Relative Density) of Wood and Wood-Based Materials  |
| ASTM D4442                 | Standard Test Methods for Direct Moisture Content Measurement of Wood and Wood-Based Materials  |
| ASTM D4761                 | Standard Test Methods for Mechanical Properties of Lumber and Wood-<br>Base Structural Material   |
| ASTM D4933                 | Standard Guide for Moisture Conditioning of Wood and Wood-Based Materials   |
| ASTM D7031                 | Standard Guide for Evaluating Mechanical and Physical Properties of Wood-Plastic Composite Products   |
| ASTM D7032                 | Standard Specification for Establishing Performance Ratings for Wood-<br>Plastic Composite and Plastic Lumber Deck Boards, Stair Treads, Guards,<br>and Handrails         |
| Wood/Lumber Sampling Me    | ethods  |
|                            |   |



### International Accreditation Service, Inc.

| ASTM D2915                   | Practice for Sampling and Data-Analysis for Structural Wood and Wood-Based Products   |
|------------------------------|---|
| Fasteners/Anchors/Nails Test | ing Methods   |
| AISI S904                    | Standard Test Methods for Determining the Tensile and Shear Strength of Screws  |
| AISI S905                    | Standard Test Methods for Mechanically Fastened Cold-Formed Steel Connections   |
| ASTM E488/E488M              | Standard Test Methods for Strength of Anchors in Concrete Elements  |
| ASTM E1190                   | Standard Test Methods for Strength of Power-Actuated Fasteners Installed in Structural Members  |
| ASTM F606 / F606M            | Standard Test Methods for Determining the Mechanical Properties of Externally and Internally Threaded Fasteners, Washers, Direct Tension Indicators, and Rivets |
| ASTM F1575                   | Standard Test Method for Determining Bending Yield Moment of Nails  |
| ICC-ES AC01                  | Acceptance Criteria for Expansion Anchors in Masonry Elements (Section 5.6.2.2)   |
| ICC-ES AC13                  | Joist Hangers and Similar Devices (Section 3.0)   |
| ICC-ES AC58                  | Adhesive Anchors in Masonry Elements (Section 4.4.3.1.1)  |
| ICC-ES AC70                  | Fasteners Power-Driven into Concrete, Steel, and Masonry Elements (Section 4.0)   |
| ICC-ES AC106                 | Pre-Drilled Fasteners (Screw Anchors) in Masonry (Section 4.0)  |
| ICC-ES AC116                 | Nails and Spikes (Section 3.0)  |
| ICC-ES AC118                 | Tapping Screw Fasteners (Section 4.0)   |
| ICC-ES AC233                 | Alternate Dowel-Type Threaded Fasteners (Section 4.0)   |
| SAE J78                      | Steel Self-Drilling Tapping Screws  |
| Fasteners/Anchors/Nails Sam  | pling Methods   |
| ASTM F1470                   | Standard Practice for Fastener Sampling for Specified Mechanical Properties and Performance Inspection  |
| Fasteners/Anchors/Nails Spe  | cifications   |
| ASTM C954                    | Standard Specification for Steel Drill Screws for the Application of Gypsum Panel Products  |
| ASTM C1513                   | Standard Specification for Steel Tapping Screws for Cold-Formed Steel Framing Connections   |
| ASTM E329                    | Standard Specification for Agencies Engaged in Construction Inspection, Testing, or Special Inspection  |
| Building Products Testing Me | thods   |
| ANSI A10.8                   | Safety Requirements for Scaffolding   |
| ANSI/SDI T-CD                | Test Standard for Composite Steel Deck-Slabs  |
| ·                            |   |



#### International Accreditation Service, Inc.

| ASTM A370         | Standard Test Methods and Definitions for Mechanical Testing of Steel Products  |
|-------------------|---|
| ASTM B117         | Standard Practice for Operating Salt Spray (Fog) Apparatus  |
| ASTM C271 / C271M | Standard Test Method for Density of Sandwich Core Materials   |
| ASTM C272         | Constructions (Procedure A only) Standard Test Method for Water Absorption of Core Materials for Sandwich   |
| ASTM C1028        | Standard Test Method for Determining the Static Coefficient of Friction of Ceramic Tile and Other Like Surfaces by the Horizontal Dynamometer Pull-Meter Method   |
| ASTM D1143        | Standard Test Methods for Deep Foundation Elements Under Static Axial Compressive Load  |
| ASTM D3154        | Standard Test Method for Average Velocity in a Duct (Pitot Tube Method)   |
| ASTM D3689        | Standard Test Methods for Deep Foundations Under Static Axial Tensile Load  |
| ASTM D3966        | Standard Test Methods for Deep Foundations Under Lateral Load   |
| ASTM D7032        | Standard Specification for Establishing Performance Ratings for Wood-<br>Plastic Composite and Plastic Lumber Deck Boards, Stair Treads, Guards,<br>and Handrails |
| ASTM E72          | Standard Test Methods of Conducting Strength Tests of Panels for Building Construction (Excluding Sections 10, 12 and 15)   |
| ASTM E73          | Standard Practice for Static Load Testing of Truss Assemblies   |
| ASTM E96 / E96M   | Standard Test Methods for Water Vapor Transmission of Materials   |
| ASTM E330 / E330M | Standard Test Method for Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference                 |
| ASTM E331         | Standard Test Method for Water Penetration of Exterior Windows,<br>Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure<br>Difference               |
| ASTM E455         | Standard Test Method for Static Load Testing of Framed Floor or Roof Diaphragm Constructions for Buildings  |
| ASTM E564         | Standard Practice for Static Load Test for Shear Resistance of Framed Walls for Buildings   |
| ASTM E605 / E605M | Standard Test Methods for Thickness and Density of Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members   |
| ASTM E661         | Standard Test Method for Performance of Wood and Wood-Based Floor and Roof Sheathing Under Concentrated Static and Impact Loads                                   |
| ASTM E736 / E736M | Standard Test Method for Cohesion / Adhesion of Sprayed Fire-Resistive Materials Applied to Structural Members  |
| ASTM E761 / E761M | Standard Test Method for Compressive Strength of Sprayed Fire-Resistive Material Applied to Structural Members  |
|                   |   |



#### International Accreditation Service, Inc.

| ASTM E1155                      | Standard Test Method for Determining FF Floor Flatness and FL Floor Levelness Numbers   |
|---------------------------------|---|
| ASTM E1803                      | Standard Test Methods for Determining Strength Capacities of Structural Insulated Panels  |
| ASTM E2322                      | Standard Test Method for Conducting Transverse and Concentrated Load Tests on Panels used in Floor and Roof Construction  |
| ASTM F1869                      | Standard Test Method for Measuring Moisture Vapor Emission Rate of Concrete Subfloor Using Anhydrous Calcium Chloride   |
| ASTM G85                        | Standard Practice for Modified Salt Spray (Fog) Testing   |
| CISCA (1)                       | Concentrated Loads  |
| CISCA (2)                       | Ultimate Loading  |
| CISCA (3)                       | Rolling Loads   |
| CISCA (4)                       | Stringer Load Testing   |
| CISCA (5)                       | Pedestal Axial Load Test  |
| CISCA (6)                       | Pedestal Overturning Moment Test  |
| CISCA (7)                       | Uniform Load Test   |
| CISCA (8)                       | Drop Impact Load Test   |
| CISCA (10)                      | Air Leakage (through Panel Seams)   |
| CC-ES AC04                      | Acceptance Criteria for Sandwich Panels (Section 4.0)   |
| CC-ES AC17                      | Acceptance Criteria for Glass Glazed Unit Skylights and Sloped Glass Glazing (Sections A3.0 and A4.0)   |
| CC-ES AC43                      | Acceptance Criteria for Steel Deck Roof And Floor Systems (Section 3.2.1)   |
| CC-ES AC100                     | Acceptance Criteria for Air-Conditioning Equipment Pads (Sections 4.2.7 and 4.2.8)  |
| CC-ES AC125                     | Acceptance Criteria for Concrete and Reinforced and Unreinforced Masonry Strengthening using Externally Bonded Fiber-Reinforced Polymer (FRP) Composite Systems |
| CC-ES AC170                     | Acceptance Criteria for Shear Reinforcement Devices in Structural Concrete (Section 3.0)  |
| CC-ES AC210                     | Acceptance Criteria For Patio Covers with PVC Plastic Components (Sections 4.3 and 4.6)   |
| CC-ES AC213                     | Glass Shear Walls & Diaphragms for Patio Covers (Section 4.4)   |
| CC-ES AC323                     | Acceptance Criteria for Reinforcement of Openings in Shear Walls with Steel Brackets (Section 3.0)  |
| CC-ES AC358                     | Acceptance Criteria for Helical Pile Systems and Devices  |
| CC-ES AC449                     | Acceptance Criteria for Tension-Controlled Open Web Steel Joists  |
| Building Products Specification | ne  |



### International Accreditation Service, Inc.

| AASHTO M 306               | Standard Specification for Drainage, Sewer, Utility, and Related Castings (Exclude Section 7)   |
|----------------------------|---|
| ANSI/SCTE 77               | Specification for Underground Enclosure Integrity   |
| ASTM A881                  | Standard Specification for Steel Wire, Indented, Low-Relaxation for Prestressed Concrete  |
| Concrete Admixtures Testir | ng Methods  |
| ASTM C233                  | Standard Test Method for Air-Entraining Admixtures for Concrete   |
| ASTM C494                  | Standard Specification for Chemical Admixtures for Concrete   |
| ASTM D891                  | Standard Test Methods for Specific Gravity, Apparent, of Liquid Industrial Chemicals  |
| ASTM E1252                 | Standard Practice for General Techniques for Obtaining Infrared Spectra for Qualitative Analysis  |
| ASTM G109                  | Standard Test Method for Determining Effects of Chemical Admixtures on Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments |
| BS EN 480-10               | Admixtures for concrete, mortar and grout- Test methods- Part 10: Determination of water soluble chloride content   |
| Concrete Admixtures Samp   | ling Methods  |
| Concrete Admixtures Speci  | fications   |
| ASTM C260                  | Standard Specification for Air-Entraining Admixtures for Concrete   |
| ASTM C494                  | Standard Specification for Chemical Admixtures for Concrete   |
| ASTM C1017                 | Standard Specification for Chemical Admixtures for Use in Producing Flowing Concrete  |
| ASTM E100                  | Standard Specification for ASTM Hydrometers   |
| Concrete Admixtures Equiv  | alent AASHTO Test   |
| AASHTO M154                | Air-Entraining Admixtures for Concrete  |
| AASHTO M194                | Chemical Admixtures for Concrete  |
| AASHTO T157                | Air-Entraining Admixtures for Concrete  |
| AASHTO T358                | Surface Resistivity Indication of Concrete's Ability to Resist Chloride Ion Penetration   |
| Masonry/Precast Testing M  | ethods  |
| AREMA 4.2.3                | AREMA Manual for Railway Engineering (Chapter 30, 4.2.3 (Duggan Test), 4.9.1 (Testing Ties))  |
| ASTM C50 / C50M            | Standard Practice for Sampling, Sample Preparation, Packaging, and Marking of Lime and Limestone Products   |
| ASTM C55                   | Standard Specification for Concrete Building Brick  |
| ASTM C67                   | Standard Test Methods for Sampling and Testing Brick and Structural Clay Tile   |
|                            |   |



#### International Accreditation Service, Inc.

| ASTM C73                 | Standard Specification for Calcium Silicate Brick (Sand-Lime Brick)  |
|--------------------------|--|
| ASTM C90                 | Standard Specification for Loadbearing Concrete Masonry Units  |
| ASTM C97 / C97M          | Standard Test Methods for Absorption and Bulk Specific Gravity of Dimension Stone  |
| ASTM C110                | Standard Test Methods for Physical Testing of Quicklime, Hydrated Lime, and Limestone  |
| ASTM C140 / C140M        | Standard Test Methods for Sampling and Testing Concrete Masonry Units and Related Units  |
| ASTM C497                | Standard Test Methods for Concrete Pipe, Manhole Sections, or Tile   |
| ASTM C936                | Standard Specification for Solid Concrete Interlocking Paving Units  |
| ASTM C1006               | Standard Test Method for Splitting Tensile Strength of Masonry Units   |
| ASTM C1262               | Standard Test Method for Evaluating the Freeze-Thaw Durability of Dry-Cast Segmental Retaining Wall Units and Related Concrete Units |
| ASTM C1314               | Standard Test Method for Compressive Strength of Masonry Prisms  |
| ASTM C1645               | Standard Test Method for Freeze-thaw and De-icing Salt Durability of Solid Concrete Interlocking Paving Units                        |
| ASTM C1670               | Standard Specification for Adhered Manufactured Stone Masonry Veneer Units   |
| NCMA CMU WR2             | Standard Test Method for Spray Bar Test of Concrete Masonry Units  |
| Masonry/Precast Samplin  | g Methods  |
| ASTM C50 / C50M          | Standard Practice for Sampling, Sample Preparation, Packaging, and Marking of Lime and Limestone Products                            |
| Masonry/Precast Specific | ations   |
| ASTM C55                 | Standard Specification for Concrete Building Brick   |
| ASTM C62                 | Standard Specification for Building Brick (Solid Masonry Units Made from Clay or Shale)  |
| ASTM C73                 | Standard Specification for Calcium Silicate Brick (Sand-Lime Brick)  |
| ASTM C90                 | Standard Specification for Loadbearing Concrete Masonry Units  |
| ASTM C129                | Standard Specification for Nonloadbearing Concrete Masonry Units   |
| ASTM C207                | Standard Specification for Hydrated Lime for Masonry Purposes  |
| ASTM C216                | Standard Specification for Facing Brick (Solid Masonry Units Made from Clay or Shale)  |
| ASTM C652                | Standard Specification for Hollow Brick (Hollow Masonry Units Made from Clay or Shale)   |
| ASTM C936                | Standard Specification for Solid Concrete Interlocking Paving Units  |
| ASTM C985                | Standard Specification for Nonreinforced Concrete Specified Strength Culvert, Storm Drain, and Sewer Pipe                            |
| ASTM C1093               | Standard Practice for Accreditation of Testing Agencies for Masonry  |
| <del> </del>             | $m^{\mu\nu}$   |



#### International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

| Standard Specification for Concrete Grid Paving Units  |  |  |
|--|--|--|
| Standard Specification for Dry-Cast Segmental Retaining Wall Units                                     |  |  |
| Standard Specification for Concrete Roof Pavers  |  |  |
| Standard Specification for Adhered Manufactured Stone Masonry Veneer Units                             |  |  |
| Standard Specification for Agencies Engaged in Construction Inspection, Testing, or Special Inspection |  |  |
| Masonry/Precast Equivalent AASHTO Test   |  |  |
| Air-Entraining Admixtures for Concrete   |  |  |
| Chemical Admixtures for Concrete   |  |  |
| Air-Entraining Admixtures for Concrete   |  |  |
| Concrete Pipe, Manhole Sections, or Tile   |  |  |
|  |  |  |

ASTM: American Society for Testing and Materials

ANSI: American National Standards Institute

SAE: Society of Automotive Engineers AISI: American Iron and Steel Institute

CISCA: Ceilings & Interior Systems Construction Association

AASHTO: American Association of State Highway and Transportation Officials

NCMA: National Concrete Masonry Association

AREMA: American Railway Engineering and Maintenance of Way Association



