

# CERTIFICATE OF ACCREDITATION

This is to attest

#### **ENCON TECHNOLOGY, INC.**

1216 NORTH LANSING AVENUE, SUITE C TULSA, OKLAHOMA 74106, U.S.A.

**Testing Laboratory TL-327** 

has met the requirements of AC89, *IAS Accreditation Criteria for Testing Laboratories*, and has demonstrated compliance with ISO/IEC Standard 17025:2017, *General requirements for the competence of testing and calibration laboratories*. This organization is accredited to provide the services specified in the scope of accreditation.

Effective Date December 4, 2025



International Accreditation Service
Issued under the authority of IAS management

### SCOPE OF ACCREDITATION

International Accreditation Service, Inc.
3060 Saturn Street, Suite 101, Brea, California 92821, U.S.A. I www.iasonline.org

#### **ENCON TECHNOLOGY, INC.**

www.encontechnologies.com

Contact Name Bala Sockalingam

**Contact Phone** +1-918-492-5992

Accredited to ISO/IEC 17025:2017

Effective Date December 4, 2025

| Physical        |  |
|-----------------|--|
| ASTM E283       | Standard test method for determining rate of air leakage through exterior windows, curtain walls, and doors under specified pressure differences across the specimen |
| ASTM E331       | Standard test method for water penetration of exterior windows, skylights, doors, and curtain walls by uniform static air pressure difference                        |
| ASTM E1646      | Standard test method for water penetration of exterior metal roof panel systems by uniform static air pressure difference  |
| ASTM E1680      | Standard test method for rate of air leakage through exterior metal roof panel systems   |
| ASTM E2140      | Standard test method for water penetration of metal roof panel systems by static water pressure head   |
| Structural      |  |
| AISI S907       | Test standard for cantilever test method for cold-formed steel diaphragms  |
| AISI S908       | Base test method for purlins supporting a standard seam roof system  |
| AISI S909       | Standard test method for determining the web crippling strength of cold-formed steel beams   |
| ASAE EP558      | Load tests for metal-clad, wood-frame diaphragms   |
| ASTM A90/A90M   | Standard test method for weight [mass] of coating on iron and steel articles with zinc or zinc-alloy coatings  |
| ASTM C271/C271M | Standard test method for density of sandwich core materials  |
| ASTM C272/C272M | Standard test method for water absorption of core materials for sandwich constructions   |
| ASTM E72        | Standard test methods of conducting strength tests of panels for building construction   |
| ASTM E330/E330M | Standard test method for structural performance of exterior windows, doors, skylights and curtain walls by uniform static air pressure difference                    |



## SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 101, Brea, California 92821, U.S.A. I www.iasonline.org

| ASTM E455   | Standard test method for static load testing of framed floor or roof diaphragm constructions for buildings  |
|-------------|---|
| ASTM E661   | Standard test method for performance of wood and wood-based floor and roof sheathing under concentrated static and impact loads (section 6.1 only)                            |
| ASTM E1592  | Standard test method for structural performance of sheet metal roof and siding systems by uniform static air pressure difference  |
| ASTM E2322  | Standard test method for conducting transverse and concentrated load tests on panels used in floor and roof construction (except E661 and E695 per section 4.3)               |
| DASMA 108   | Standard Method for Testing Sectional Garage Doors, Rolling Doors and Flexible Doors: Determination of Structural Performance Under Uniform Static Air Pressure Difference.   |
| ICC ES AC04 | Sandwich panels (test methods referenced in section 4.0)  |
| ICC ES AC43 | Steel deck roof and floor systems (test methods referenced in sections 3.2 and 3.4)   |
| FM 4470     | Single-ply, polymer-modified bitumen sheet, built-up roof (BUR) and liquid applied roof assemblies for use in class 1 and noncombustible roof deck construction (section 4.6) |
| UL 2218     | Standard for Impact Resistance of Prepared Roof Covering Materials  |