



INTERNATIONAL
ACCREDITATION
SERVICE®

CERTIFICATE OF ACCREDITATION

This is to attest that

FOOD MICROBIOLOGICAL LABORATORIES, INC

10653 PROGRESS WAY
CYPRESS, CALIFORNIA 90630, U.S.A.

Testing Laboratory TL-403

has met the requirements of AC89, *IAS Accreditation Criteria for Testing Laboratories*, and has demonstrated compliance with ISO/IEC Standard 17025:2017, *General requirements for the competence of testing and calibration laboratories*. This organization is accredited to provide the services specified in the scope of accreditation.

Effective Date December 22, 2024



International Accreditation Service
Issued under the authority of IAS management

Visit www.iasonline.org for current accreditation information.

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

FOOD MICROBIOLOGICAL LABORATORIES, INC

www.foodmicrolabs.com

Contact Name Karilyn Gonzales

Contact Phone +1-714-657-7527

Accredited to ISO/IEC 17025:2017

Effective Date December 22, 2024

Microbiological	
<i>Aerobic Plate Count</i>	
MM-APC-001	Based on AOAC 966.23 Aerobic plate count
MM-APCPF-020	Based on AOAC 990.12 Aerobic plate count Petrifilm™
MM-APC24-053	Based on AOAC 2015.13 Aerobic plate count 24h Petrifilm™
<i>Campylobacter</i>	
MM-CAMP-034	Based on Vidas insert <i>Campylobacter</i> Rapid (ELFA)
<i>Staphylococci</i>	
MM-CPS-014	Based on AOAC 975.55 Coagulase positive staphylococci
MM-SAPF-038	Based on AOAC 2003.07 <i>Staphylococcus aureus</i> Petrifilm™
<i>Coliforms</i>	
MM-CMUG-055	Based on CMMEF 9.933, 5 th Ed., Coliforms VRB-MUG
MM-CMPN-005	Based on FDA-BAM online Ch. 4 Coliforms MPN
MM-CP-002	Based on AOAC 991.14 Coliforms Petrifilm™
MM-CVRB-013	Based on FDA-BAM online Ch. 4 Coliforms VRB
<i>E. coli</i>	
MM-EMPEN-006	Based on FDA-BAM online Ch. 4 <i>E. coli</i> MPN
MM-EMUG-056	Based on CMMEF 9.933, 5 th Ed., <i>E. coli</i> VRB-MUG
MM-EP-003	Based on AOAC 991.14 <i>E. coli</i> Petrifilm™
MM-EPCR-050	Based on AOAC 2019.03 <i>E. coli</i> O157:H7 (PCR)
MM-EVRB-012	Based on FDA-BAM online Ch. 4 <i>E. coli</i> VRB
MM-STEC-051	Based on AOAC 2020.06 EHEC (STEC) (PCR)
MM-TBX-015	Based on ISO 16649-2:2001 <i>E. coli</i>
<i>Enterobacteriaceae</i>	
MM-EBMPN-035	Based on CMMEF 8.61, 4 th Ed., <i>Enterobacteriaceae</i> MPN
MM-EBPF-036	Based on AOAC 2003.01 <i>Enterobacteriaceae</i> Petrifilm™

TL-403

FOOD MICROBIOLOGICAL LABORATORIES, INC

Effective Date December 22, 2024

Page 2 of 4

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

MM-EBVRB-037	Based on CMMEF 8.62, 4 th Ed., <i>Enterobacteriaceae</i> VRBG
<i>Listeria</i>	
MM-LISTU-028	Based on USDA-MLG Ch. 8.11 online <i>Listeria monocytogenes</i> Cultural
MM-LPCR-049	Based on AOAC 2019.10 <i>Listeria</i> genus (PCR) and AOAC 2019.11 <i>Listeria monocytogenes</i> (PCR)
MM-LPT-046	Based on AOAC 2013.10 <i>Listeria</i> and <i>Listeria monocytogenes</i> (LPT)
<i>Lactic Acid Bacteria</i>	
MM-LAB-010	Based on CMMEF 19.523, 4 th Ed., Lactic acid bacteria
MM-HLAB-021	Based on CMMEF 19.571, 4 th Ed., Heterofermentative lactic acid bacteria
<i>Presumptive Analysis</i>	
MM-BCER-019	Based on AOAC 980.31 Presumptive <i>B. cereus</i>
MM-CPER-018	Based on AOAC 976.30 Presumptive <i>C. perfringens</i>
<i>Pseudomonas</i>	
MM-PSM-033	Based on Neogen© Culture Media Specification <i>Pseudomonas</i>
<i>Salmonella</i>	
MM-SALA-017	Based on FDA-BAM online, Ch. 5 <i>Salmonella</i> Cultural
MM-SPCR-052	Based on AOAC 2020.02 <i>Salmonella</i> (PCR)
MM-SPT-047	Based on AOAC 2013.01 <i>Salmonella</i> (SPT)
<i>Mycology</i>	
MM-OSYM-009	Based on CMMEF 17.332, 4 th Ed., Osmophilic Yeasts and Molds
MM-YM-004	Based on FDA-BAM 7 th Ed., Ch. 18 Yeasts and Molds (PDA)
MM-YMDRBC-030	Based on FDA-BAM online, Ch. 18, Yeasts and Molds (DRBC)
MM-YMPF-054	Based on AOAC 2014.05 Rapid Yeast & Mold Petrifilm™
Chemical	
CM-ALMO-008	Based on Veratox® Insert Almond Allergen
CM-AW-001	Based on AOAC 978.18 Water Activity
CM-COCO-009	Based on Veratox® Insert Coconut Allergen
CM-EGG-006	Based on Veratox® Insert Egg Allergen
CM-GLMT-012	Based on MonoTrace® Insert Gluten Allergen
CM-GLUT-003	Based on AOAC-RI 061201 Gluten Allergen
CM-MILK-005	Based on Veratox® Insert Milk Allergen
CM-PH-002	Based on AOAC 981.12 pH
CM-PNUT-007	Based on AOAC-RI 030403 Peanut Allergen

TL-403

FOOD MICROBIOLOGICAL LABORATORIES, INC

Effective Date December 22, 2024

Page 3 of 4

IAS/TL/100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

CM-SEMT-011	Based on MonoTrace [®] Insert Sesame Allergen
CM-SOY-004	Based on Veratox [®] Insert Soy Allergen

